



The Commercial IMTA and Future Seaweed Biofilter Potential in Denmark

Holdt, Susan Løvstad

Publication date:
2015

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)


Citation (APA):
Holdt, S. L. (Author). (2015). The Commercial IMTA and Future Seaweed Biofilter Potential in Denmark. Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



THE COMMERCIAL IMTA AND FUTURE SEAWEED BIOFILTER POTENTIAL IN DENMARK

Susan L. Holdt

Assistant professor, Technical University of Denmark


National Food Institute

suho@food.dtu.dk



Objectives

- Nitrogen and regulations in DK
- IMTA
- Cast seaweed
- Seaweed for waste water bioremediation
- Future perspectives





Intro

Danish sea territory 100,000 km²



Total Danish N loading

- 43,000 t/year
 - the terrestrial input is the main contributor
- 350 t/year from marine farms
 - Environmental concern




Restrictions

- Generally the water areas are not allowed to increase their N outputs
- EU Water framework directive
- The new aquaculture strategy has just ended the public hearing period
 - propose 50% increase in Danish aquaculture with best available technologies (BAT) (2020)
 - the use of biofilter (mussels and seaweed)




Integrated Multi-trophic Aquaculture (IMTA)

- Hjørnø fishfarm commercial scale IMTA
- 27 people fully employed (20 x-tra Oct-Jan)
- Rainbow trout production 175 t/y
- 35 SmartFarms (harvest 2012: 143 t)
- 10 km of *Saccharina latissima* droppers
- Organic certified seaweed at 'reference site' (100 ha)



- IMTA (Hjarnø fishfarm)



Fish farm




Seaweed farm




Mussel farm

IMTA



- Compensation study/combined cultivation
 - Document the biofilter efficiency (N and P uptake)
- New facility, 2,200 ton rainbow trout
 - Zero N output
 - Mussel and seaweed biofilter
- Decoupled - > polyculture





(Holdt and Edwards, 2014)



- (Now only 50 t juvenile equivalent to harvest 200 t fish)

- Fish: 2,200 t/year: 80 t N release
- Seaweed: 700 t WW/year
- (0.5% N = 2.8 t N removal)
- Mussels: 8,000 t WW/year
- (1.3 % N = 104 t N removal)

Biofilter at the 'old' cultivation sites near the coast



Cast seaweed at the beach


- The Solrød beach example



Eelgrass



Ectocarpus and *Pylaiella*




Cast seaweed harvest

- 20,000 tonnes (incl. sand)/y
- 130,000-190,000 US\$/y
- 6 km coast line in Solrød
- Fertilizer for turfs



Reducing the N and P



- Not recognized officially by the govt. authorities
- But considered in the region and plans




Seaweed as waste water biofilter (project)

(kindly provided by Annette Bruhn, Aarhus University)


- Municipal waste water
- Demonstrate reuse of N and P
- Include in biogas production
- Evaluation of the sludge
- Economy...



- Seaweed biomass (sugarkelps) grew
 - Highest N conc closest to WWT plant
- Biogas and sludge
 - Less than 1 ppm so no changes recorded
- Economy perspectives
 - Save 225,000 US\$ if all N removed!




	Release (T / år)	Seaweed (% DW)	Biomass (DW)	Recover (%)	Area (ha)	Fee (US\$/kg)	Fee Saving US\$
N	60	3	2,000	100	400	4	225,000
P	8	0.18	4,444	45		20	75,000
C	190	33	576	347			



Future perspectives


- Seaweed cultivations are recognized as biofilter in Denmark
 - This incl. decoupling
 - However, lower N content than mussel *
 - Hatchery time *
 - Mussels are subject to eiders *
- N-gota: Means that more interest from other fish farmers

(*Holdt, S.L., Edwards, M.D. (2014) Cost effective IMTA: Comparison between seaweed and mussel biofilter. *Journal of Applied Phycology*, 26, 933-945)



Future (continued)

- New aquaculture strategy suggest to increase all Danish aquaculture by 50%.
 - New inshore farms must compensate 100% for N and P
 - New large farms are proposed to 'really' move off shore/off coast
- Possible that seaweed (and mussel) will be incl. in BAT
 - More economical feasibility studies are needed
- Cast seaweed biomass removal may be 'real' N-qota in the future
- Extra bioremediation of nutrients by seaweed near WWT plants may be feasible



Thanks to:

Goncalo S. Marinho (DTU),

Lisbeth J. Plesner (DA) and Annette Bruhn (AU)


GUDP: Project number: 3405-11-0375

Projektdeltager

- › [Hjarnø Havbrug](#)
- › [Dansk Akvakultur](#)
- › [Orbicon](#)
- › [DTU-Miljø](#)
- › [DHI](#)
- › [TripleNine 999](#)
- › [Seaweed Seed Supply](#)



GUDP – Grønt udviklings- og demonstrationsprogram



22nd ISS

International
Seaweed
Symposium
Copenhagen
Denmark

June 19 - 24, 2016

www.iss-2016.org

